SELENE 80 AUTO
PLANETARY MIXERS

COMIDA

Main Features

- The control panel is positioned at the front of the machine and is provided with controls designed for ease of use
- The shafts rotate on ball bearings suitable for use under high-stress conditions
- The bowl protection guard complies with safety regulations. When lifte up, it activates a microswitch that automativally stops the machine.
- The unit rests of four rubber vibration mounts that guarantee stability and the reduction of noise levels.

Standard accesories include :
- - Thin Wire Whisk
- - Flat Beater
- - Kneading Hook



SPECIFICATIONS

Voltage	400Vac 3 50Hz
Power	3.9 kw
Speed	Speeds - 3 speeds - 1° 36 RPM (1.2kw) 2° 73 (2.5kw), 3° 146 (3.1kw)
Maximum Current	8.2A
Weight	380 kg
Plug Supplied	No
Bowl Lift	Manual
Bowl Capacity	80 liters
Bowl Diameter	480mm x 490mm
Humidity	Max 95%
Noise level	<70 decibel
Ambient Temp	Max 40°C

OPTIONAL CONTROL -
Variable Speed Inverter - Single Phase Operation




STANDARD CONTROL -
3 speeds with 3 phase Motor.




DIMENTIONS

External Width	850mm
External Depth	1120 mm


FRONT




SIDE



TOP



SIDE




We reserve the right to alter specifications without notice.


SELENE 80 AUTO
PLANETARY MIXERS

COMIDA

PRODUCTIVITY CHART - Selene Mixers



TOOL GUIDE - Selene Mixers



ACCESSORIES

- Stainless Steel Bowl
- Think Wire Wisk
- Flat Beater
- Steel kneading Spiral
- Thick Wire Wisk
- Trolley for Bowl
- Reduction Kit Bowl + Accessories Selene 80 to 40
- Reduction Kit Bowl + Accessories Selene 80 to 60