
TAE62P3
BAKERY COMBI / PASTRY DECK COMBINATIONS

Main Features



HOOD
Exhaust Hood with Optional 400 or 600 mc3 Suction capacity.

BAKING CHAMBER
- 6 Trays Capacity (600 x 400)
- Large 80mm Tray Spacing
- Self cleaning
- Weekly Auto Start Up
- 147 Baking Programs
- 2 speed fan regulation
- Bi-directional reversing fan system
- Halogen light
- Convection Cooking
- Combination Cooking
- Steam Cooking
- Probe Cooking
- Touch Panel User Control
- Automatic Preheat
- 6 Cooking Cycles for each Program
- Digital Steam Exhaust Regulation
- Water injection regulation

DECK OVENS
- 2 x Teorema Polis Pastry Deck Ovens accommodating 2 x (600 x 400) trays each
- Stone / or steel base options
- Optional steam Boiler

PROVER
- 3 Trays Capacity (600 x 400)
- Large 75mm Tray Spacing
- Proofer with pan-holder
- Optional humidifier
- Door made of tempered glass
- Castor wheels with brakes

SPECIFICATIONS

Voltage	400V 3 Phase
Power	24.3 kw
Weight	490 kg
Plug Supplied	No
Capacity	6 Trays (400 x 600) for Anemos Bakery Combi 4 Trays (400 x 600) for Teorema Polis Pastry Deck Ovens 3 Trays (400 x 600) for Proving Cabinet
Thermostat	260°C Teorema Anemos bakery Combi 400°C Teorema Polis Bakery Deck
Warranty	4 Year Warranty (2 yr Labour 4 yr Parts)

COMPONENTS


1 X Ventilation Hood Top	1COM019A
1 X 6 Tray Teorema Anemos 6E/MC Touch Bakery Combi Oven	5FC0403
1 X Stacking Kit	1COM006A
2 X TPOLIS 2S 2 Tray Baking Deck Oven	2P02H05B
1 X 3 Tray Prover on Castors	1COM009A


DIMENTIONS

External Width	970mm
External Depth	1351mm (including hood)
External Height	2371mm


TAE62P3
EXHAUST HOOD STRUCTURE AND PROVISION

FRONT





SIDE





Item num.	Quantity	Description	Power	Trays	Distance between trays
1	2	T POLIS 2S	12.8 kW	n°4	
2	1	T ANEMOS 6E TOUCH	10.5 kW	n°6	80mm
3	1	PROOFING CABINET	1 kW	n°6	75mm
4	1	EXHAUST HOOD	0.3 kW		
5	1	KIT COMBI			

Optional	Power
HUMIDIFIER FOR PROVING CABNIT	1KW
STEAM BOILER FOR DECK OVEN	2.8KW

REAR

TOP







We reserve the right to alter specifications without notice.

TAE62P3


EXHAUST HOOD STRUCTURE, PROVISION & MOTOR (400M3/600M3 CAPACITY)

FRONT





SIDE





Item num.	Quantity	Description	Power	Trays	Distance between trays
1	2	T POLIS 2S	12.8 kW	n°4	
2	1	T ÀNEMOS 6E TOUCH	10.5 kW	n°6	80mm
3	1	PROOFING CABINET	1 kW	n°6	75mm
4	1	EXHAUST HOOD WITH MOTOR	0.25 kW		
5	1	KIT COMBI			

Optional	Power
HUMIDIFIER FOR PROVING CABNIT	1KW
STEAM BOILER FOR DECK OVEN	2.8KW

REAR

TOP







We reserve the right to alter specifications without notice.


TAE62P3
NO EXHAUST PROVISION

FRONT





SIDE





Item num.	Quantity	Description	Power	Trays	Distance between trays
1	2	T POLIS 2S	12.8 kW	n°4	
2	1	T ÀNEMOS 6E TOUCH	10.5 kW	n°6	80mm
3	1	PROOFING CABINET	1 kW	n°6	75mm
4	1	KIT COMBI			

Optional	Power
HUMIDIFIER FOR PROVING CABNIT	1KW
STEAM BOILER FOR DECK OVEN	2.8KW

REAR

TOP





We reserve the right to alter specifications without notice.